


EYEBOLTS

"4 SCREWS" PAD-EYES

These models, made in AISI 316 s/steel, are fixed to the deck with 4 screws that guarantee the best distribution of the load, so they are the right solutions for heavy loads.

They can be fit with a block and a "stand-up" spring.




MODEL	7208	7210	7212	7214	7216	7220
Ø mm	8	10	12	14	16	20
D ₁ mm	65	75	80	99	110	129
D ₂ mm	49	53	59	74	84	104
SCREWS N°xØ	4 x 6 mm	4 x 8 mm	4 x 8 mm	4 x 10 mm	6 x 10 mm	6 x 10 mm
WEIGHT kg	0.22	0.26	0.38	0.68	1.10	1.80
W kg	1500	2500	3600	4600	6500	9000
R kg	3000	5000	7200	9200	13000	18000
BLOCK Ø	75 mm	90 mm	- - -	120 mm	150 mm	180 mm

“U” BOLTS

Made of AISI 316 stainless steel.

They can be fitted with a block and “stand-up” spring.



MODEL	7105	7106	7108	7110
Ø mm	5	6	8	10
I mm	17	22	28	35
D mm	38	44	54	63
L mm	50	55	67	67
WEIGHT kg	0.05	0.06	0.13	0.17
W kg	500	800	1500	2500
R kg	1000	1600	3000	5000
BLOCK Ø	45 mm	55 - 65 mm	75 mm	90 mm




SCREWED EYEBOLTS

This solution allows an easy removal of the eyebolt from the deck

They can be fitted with a block and a "stand-up" spring.

Made of AISI 316 stainless steel.



MODEL	7306	7308	7310	7312	7314	7316	7320
Ø mm	6	8	10	12	14	16	20
D ₁ mm	12	20	20	24	24	30	30
D ₂ mm	40	50	60	70	80	80	100
D ₃ mm	54	80	80	90	90	120	120
D ₄ mm	32	56	56	64	64	92	92
D ₅ mm	- - -	28	28	32	32	42	42
H mm	- - -	35	35	38	38	56	56
SCREWS N° x Ø mm	2 x Ø6	4 x Ø8	4 x Ø8	4 x Ø10	4 x Ø10	6 x Ø10	6 x Ø10
WEIGHT kg	0.23	0.56	0.58	0.72	0.82	2.20	3.60
W kg	800	1500	2500	3600	4600	6500	9000
R kg	1600	3000	5000	7200	9200	13000	18000
BLOCK Ø	55-65 mm	75 mm	90 mm	- - -	120 mm	150 mm	180 mm

Blocks with screwed eyebolts include: block with spring and (removable) eyebolt and the base (fixed to the deck).

The same base is suitable for blocks of different sizes: same base for 55 and 65 mm blocks, same for 75 and 90 mm blocks, one for 120 mm blocks and the largest for 150 and 180 mm blocks.

